



# 33503B BenchLink Waveform Builder Pro Software

For Keysight Function/Arbitrary/Pulse Waveform  
Generators and InfiniiVision Oscilloscopes

## Create Custom Waveforms Faster

### Fast and easy analysis tools for more insight

- Standard waveform library provides quick access to common signals (DC, half-sine, noise, sine, square, triangle, ramp, pulse, exponential)
- Comprehensive library of built-in signals provides fast, easy access to complex signals
- Free-hand, point and line-draw modes to create custom shapes
- Equation editor enables creation of waveforms with exact polynomials
- Advanced math functions provide additional flexibility for more complex signals
- Sequencing editor to build and arrange composite waveforms for design optimization
- Filtering and windowing functions allow smooth transitions between waveforms
- Fast Fourier Transform (FFT) capability enables viewing of signal frequency characteristics
- Complimentary Cumulative Distribution Function (CCDF) curves enables viewing of signal power characteristics

## Fast, Efficient Custom Waveform Creation

The Keysight 33503B BenchLink Waveform Builder Pro is a full-featured waveform creation software for waveform generators. The software enables engineers to take full advantage of Keysight signal generation capabilities and makes custom waveform creation fast and simple. It is ideal for R&D engineers characterizing new designs and test system engineers validating production units.

BenchLink Waveform Builder Pro is a Microsoft Windows-based program that provides easy-to-use creation tools, such as an equation editor, waveform math and drawing tools, which can be used to create custom signals. It features a standard function library, waveform sequencer; as well as filters and windowing functions that allow you to easily modify and further refine your waveform. A library of built-in signals supports fast creation of more complex waveforms such as multi-tone, serial data, trapezoid and Gaussian.

With BenchLink Waveform Builder Pro, you gain access to advanced signal creation and editing capabilities, without requiring hours of programming. The result is quicker, easier creation of custom waveforms, coupled with deeper analysis insight into your signals.

### Download Keysight's free 7-day trial version and create custom waveforms faster

To order your copy or download a free 7-day trial version and start gaining insights into your measurements today, visit [www.keysight.com/find/33503](http://www.keysight.com/find/33503)

If you choose to continue to utilize the software after the trial period, you may purchase a license and retain the full functionality and benefits.

### Key applications

- Electronic controls, baseband wireless communications
- Linear amplifiers, DC brushless motors, switching power supplies
- Medical devices, digital audio
- Clock signals, modulation source



Figure 1. Multiple methods to create and import waveforms into the new 33500B and 33600A Series Trueform waveform generators.

## Exceptional Functionality

The BenchLink Waveform Builder Pro software features a range of functionality designed to make common and custom waveform creation a fast and simple process. This functionality is summarized in Table 1.

Table 1. 33503B BenchLink Waveform Builder Pro functionality.

| Category          | Description              |
|-------------------|--------------------------|
| Waveform types    |                          |
| Basic Waveforms   | DC                       |
|                   | Sine                     |
|                   | Triangle                 |
|                   | Square (with transition) |
|                   | Pulse (with transition)  |
|                   | Ramp                     |
|                   | Noise                    |
|                   | Half-sine                |
|                   | Line                     |
| Advance Waveforms | Exponential rise         |
|                   | Exponential fall         |
|                   | Noise                    |
|                   | Sinc                     |
|                   | Sweep                    |
|                   | Multi-tone               |
|                   | Lorentz                  |
|                   | Stair step               |
|                   | Haversine                |
|                   | Gaussian                 |
|                   | Logarithmic              |
|                   | Trapezoid                |
|                   | Serial data              |
|                   | Damped oscillation       |

| Category                       | Description  |
|--------------------------------|--|
|                                | Distorted sine   |
|                                | Surge pulse  |
| <b>Single-channel waveform</b> |  |
| View                           | Segment markers  |
|                                | X and Y cursors  |
|                                | Pin cursors  |
| Edit                           | Multi-level undo/redo for all basic waveform editing operations            |
|                                | Paste options such as at beginning, end, cursor, or replacement selection  |
|                                | Copy/paste options with excel sheet  |
|                                | Copy/paste options with text file  |
|                                | Insert options such as at beginning, end, cursor, or replacement selection |
|                                | Edit/add/remove waveform points via table                                  |
| Math                           | Addition   |
|                                | Subtraction  |
|                                | Multiplication   |
|                                | Math operation with waveform library                                       |
|                                | Math operation with constants  |
|                                | Math operation with clipboard  |
|                                | Division by constant   |
| <b>Dual-channel waveforms</b>  |  |
| View                           | Segment markers  |
|                                | X and Y cursors  |
|                                | Pin cursors  |
|                                | Blinking cursor  |
| Edit                           | Multi-level undo/redo for all basic waveform editing operations            |
|                                | Paste options such as at beginning, end, cursor, or replacement selection  |
|                                | Copy/paste options with Excel sheet  |
|                                | Copy/paste options with text file  |
|                                | Insert options such as at beginning, end, cursor, or replacement selection |

| Category  | Description  |
|---|--|
|   | Edit/add/remove waveform points via table                              |
|   | Synchronize and un-synchronize editing of dual-channel waveform        |
| Math  | Addition   |
|   | Subtraction  |
|   | Multiplication   |
|   | Math operation with waveform library                                   |
|   | Math operation with constants  |
|   | Math operation with clipboard  |
|   | <b>Sequencing</b>  |
|   | Drag/drop sequence thumbnails  |
|   | Sequence editing via grid  |
|   | Simple undo/redo support   |
|   | Samples information  |
|   | Time duration  |
|   | Scrolling  |
|   | Repeat   |
| Waveform generators<br>that support sequencing          | Create and save sequence   |
|   | Send and play sequence   |
| <b>Common math operations (single and dual-channel)</b> |  |
| Math  | Clip   |
|   | Absolute   |
|   | Invert   |
|   | Mirror   |
|   | Resize   |
|   | Shift/Rotate -> Horizontal   |
|   | Normalize Waveform   |
|   | Trim   |
|   | Scale  |
|   | Re-sampling of waveform (sinc, linear, add points with zero amplitude) |

| Category  | Description   |
|---|---|
| Filters   | Low pass (F)  |
|   | High pass (F)   |
|   | Band pass (F,F)   |
|   | Low pass (second order) (F)   |
|   | Raised cosine   |
|   | Root-raised cosine  |
|   | Butterworth   |
|   | Chebyshev   |
|   | Bessel  |
|   | Elliptical  |
| Windowing   | User FIR (16 coefficients)  |
|   | Hann  |
|   | Hamming   |
|   | Rectangular (uniform)   |
|   | Triangular  |
|   | Smooth (circular)   |
|   | Gaussian  |
|   | Blackman  |
|   | Flat top  |
|   |   |
| <b>Equation editor</b>                            |   |
| Build equations to create more advanced waveforms |   |
| Arithmetic operators                              | + , — , * , / , x <sup>y</sup> , ( , )  |
| Function library                                  | ABS, ARCTAN, COS, EXP, FACT, LN, NOISE (uniform), NOISE (normal), POINT, SIN, SQRT, STEP, TAN |
| <b>View operations</b>                            |   |
| View  | View individual data points/connect dots  |
|   | Panoramic view  |
|   | Time scale  |
|   | Scrolling   |

| Category | Description  |
|----------|--|
|          | Flexibility in editing the application display properties    |
|          | View FFT of waveform   |
|          | View constellation (X vs. Y) of waveform                     |
| Edit     | Set total samples/total time duration/sampling rate          |
|          | Freehand draw  |
|          | Line draw  |
|          | Point draw (with interpolation as linear, smooth, staircase) |
| Zooming  | Horizontal zoom  |
|          | Vertical zoom  |
|          | Area zoom  |
|          | Zoom out   |
|          | Zoom with mouse wheel  |

## Waveform Creation Examples



Figure 2. Arbitrary Waveform Sequences: Use the Waveform Sequence Tool to create longer custom waveforms by linking multiple waveforms together.




Figure 3. Multi-tone Signals: Use the Multi-tone Segment Tool to create a multi-tone signal, up to 64 tones, to analyze a communications device.




Figure 4. Serial Data Stream: Use the Serial Data Segment Tool to create a digital bit stream to simulate the data flow of a serial link in your device.




Figure 5. Equation Editor: Use the Equation Editor Tool to create more advanced waveforms by writing equations that simulate your specific applications.

## Summary of BenchLink Waveform Builder Pro Functionality

| Features                             | Waveform Builder Pro |
|--------------------------------------|----------------------|
| Basic waveform library               | ✓                    |
| Cut, copy, paste with Excel          | ✓                    |
| Waveform math                        | ✓                    |
| Free hand                            | ✓                    |
| Line draw                            | ✓                    |
| Advanced waveform library            | ✓                    |
| Equation editor                      | ✓                    |
| Point draw                           | ✓                    |
| FFT, CCDF, and constellation diagram | ✓                    |
| Filters                              | ✓                    |
| Windowing functions                  | ✓                    |
| Dual-channel operation               | ✓                    |

## Supported waveform generators and oscilloscopes

The BenchLink Waveform Builder Pro software supports the following Keysight waveform generators:

- 33210A, 33220A, 33250A function/arbitrary waveform generators
- 33500 Series, 33600 Series waveform generators
- 81150A, 81160A, 81180A pulse/function/arbitrary noise generators
- M8190A arbitrary waveform generator
- 2000 X-Series
- DSO/MSO-X InfiniiVision 3000, 4000 X-Series oscilloscopes
- 3000 T-Series
- U2761A USB modular function generator

## Compatible software

Keysight's BenchVue software can be used with Waveform Builder Pro software. Create signals using Waveform Builder Pro, then use BenchVue to control the waveform generator signal outputs, modulation, and other parameters. These two software tools are built to work together for a more complete solution for controlling your waveform generator<sup>1</sup>.

## Instrument connectivity

- Keysight I/O support
- National instruments I/O support

## Supported interfaces

- USB
- LAN
- GPIB

## File operations for signal and dual channel waveforms (both open and save files)

File format:

- IntuiLink (.wvf)
- CSV (.csv)
- Binary
- Text (.txt)
- 33500 Series ASCII (.arb)
- 33500 Series binary (.barb)
- 33500 Series sequence (.seq)
- 33600 Series ASCII (.arb)
- 33600 Series binary (.barb)
- 33600 Series sequence (.seq)
- 81100 Series sequence (.dseq)
- Dual-channel operation

1. BenchVue has different supported instrument models than Waveform Builder Pro. Please see [www.keysight.com/find/BenchVueInstruments](http://www.keysight.com/find/BenchVueInstruments) for the latest list of BenchVue supported instruments.

## System and Ordering Information

### System and installation requirements

| System  | Installation requirements   |
|---|---|
| Operating System  | Windows 10, Windows 8 (32-bit and 64-bit)   |
| Processor   | Recommended Intel Core i5 (or equivalent)   |
| RAM   | Recommended 3GB or higher   |
| Disk Space  | Recommended 300 MB, min 200 MB  |
| Display   | 1024 x 768 resolution   |
| Keysight IO Libraries<br>version 17.2 or later<br>installed on your machine | The IO libraries can be downloaded from the ADN web site:<br><a href="http://www.keysight.com/find/adn">www.keysight.com/find/adn</a> |
| 33521A, 33522A models   | Firmware revision 1.12 or greater   |

### Ordering options and licensing information

| Model number | Product name                                    |
|--------------|---|
| 33503B       | BenchLink Waveform Builder Pro Software License |

Order the software and download directly from the Keysight web site for immediate use.

[www.keysight.com/find/33503](http://www.keysight.com/find/33503)

You can now choose your license type (node-locked (fixed), transportable, floating (single site, single region, worldwide), or USB portable), license term (perpetual or subscription), and then choose the KeysightCare Software Support subscription period that best meets your needs. See more details below.

Step 1. Choose your software product.

Step 2. Choose your license: perpetual or subscription.

Step 3. Choose your license type: node-locked, transportable, USB portable, or floating.

Step 4. Depending on the license term, choose your subscription or support duration.

| Product   | License type              | License term |                        |                   |             |
|-----------|---------------------------|--------------|------------------------|-------------------|-------------|
|           |                           | Perpetual    |                        | Subscription      |             |
|           |                           | License      | Support                | License & support |             |
| S1234567A | Node-locked (fixed)       | R-x5y-001-A  | +                      | R-x6y-001-z       | R-x4y-001-z |
|           | Transportable             | R-x5y-004-D  | +                      | R-x6y-004-z       | R-x4y-004-z |
|           | USB Portable <sup>1</sup> | R-x5y-005-E  | +                      | R-x6y-005-z       | R-x4y-005-z |
|           | Floating (single site)    | R-x5y-002-B  | +                      | R-x6y-002-z       | R-x4y-002-z |
|           | Floating (single region)  | R-x5y-006-F  | +                      | R-x6y-006-z       | R-x4y-006-z |
|           | Floating (worldwide)      | R-x5y-010-J  | +                      | R-x6y-010-z       | R-x4y-010-z |
|           |                           | <b>z =</b>   | Duration               | <b>z =</b>        | Duration    |
|           |                           | L            | 12 months<br>(default) | F                 | 6 months    |
|           |                           | X            | 24 months              | L                 | 12 months   |
|           |                           | Y            | 36 months              | X                 | 24 months   |
|           |                           | Z            | 60 months              | Y                 | 36 months   |

<sup>1</sup> USB portable license requires a certified USB dongle (available for additional purchase, Keysight part number E8900-D10)

## License terms

| License term | Description   |
|--------------|---|
| Perpetual    | Licenses can be used indefinitely.  |
| Subscription | Licenses can be used through the term of the subscription (6, 12, 24 or 36 months). |

## License types

| License type  | Description   |
|---------------|---|
| Node-locked   | License can be used on one specified instrument/computer.   |
| Transportable | License can be used on one instrument/computer at a time but may be transferred to another using Keysight Software Manager (internet connection required).  |
| USB Portable  | License can be used on one instrument/computer at a time but can be transferred to another using a certified USB dongle (available for additional purchase, Keysight part number E8900-D10).  |
| Floating      | Networked instruments/computers can access a license from a server one at a time. Multiple licenses may be purchased for concurrent usage. Three types of floating license are available: Single Site: 1-mile radius from the server; Single Region <sup>1</sup> : Americas; Europe; Asia; Worldwide (export restriction identified in End User License Agreement (EULA)) |

1. Americas (North, Central, and South America, Canada); Europe (European Continent, Middle Eastern Europe, Africa, India); Asia (North and South Asia Pacific Countries, China, Taiwan, Japan)

## KeysightCare software support subscriptions

| Subscription                  | Description  |
|-------------------------------|--|
| KeysightCare Software Support | Perpetual licenses are sold with a 12 (default), 24, 36, or 60-month software support subscription. Support subscriptions may be renewed for a fee after that. |
|                               | Software subscription licenses include software support through the term of the license.   |

## Floating license server requirements

Network Floating licenses require loading a vendor daemon on a license server. This server may be the same PC running the software or a separate server. Full installation instructions (5951-5739) and support are provided for compatible server operating systems:

Keysight license server software (lmgrd.exe and agileesofd.exe) is supported on: Microsoft Windows 7 Enterprise SP1(32-bit and 64-bit) Microsoft Windows 10 Creators Update (32-bit and 64-bit), 64-bit Red Hat Linux v7.0

Keysight License Manager 6 is supported on: 64-bit Microsoft Windows 7 Enterprise SP1, Microsoft Windows 10 Creators Update 64-bit

The license server software is supported on 32-bit and 64-bit Windows and 64-bit Linux systems, but the Keysight License Manager 6 utility is supported on 64-bit Windows systems only. To setup licensing on 32-bit Windows and on Linux systems, use the processes described in the Manual License Setup section of <https://literature.cdn.keysight.com/litweb/pdf/5951-5739.pdf>


# Deutschlands größter B2B-Onlineshop für Mess- und Prüftechnik.

**dataTec**

Mess- und Prüftechnik, Die Experten.

## Ihre Vorteile:

- > Eine unschlagbare Auswahl namhafter Hersteller
- > Hohe Lagerkapazität und kurze Wege
- > Bundesweite Lieferung und schnelle Zustellung meist innerhalb eines Tages
- > Mehrere tausend Mess- und Prüfgeräte
- > Tagesaktuelle Preise und Promotions
- > Warenkorbrabatt bei Online-Bestellung
- > Versandkostenfrei ab € 50,-
- > Dokumenten-Download u. v. m.



# Mit unserer Akademie kommen Sie weiter.

**dataTec**

AKADEMIE

## Ihre Vorteile:

- > Wissenstransfer zu sämtlichen Bereichen der Messtechnik, immer auf dem neuesten Stand
- > Vielfältiges Seminarangebot mit renommierten Dozenten, in Theorie und Praxis
- > Modernste Räumlichkeiten mit bester technischer Ausstattung

## Seminarthemen:

- > Prüfgeräte VDE
- > Oszilloskope
- > Labormesstechnik
- > EMV- / HF-Messtechnik u. v. m.

Alle aktuellen Preise und Termine unter:  
[>>> www.datatec.eu/akademie](http://www.datatec.eu/akademie)

## Technische Seminare und Veranstaltungen.



# Wir haben die Lösungen für Ihre Mess- aufgaben.

**dataTec**

Mess- und Prüftechnik, Die Experten.

## Ihre Vorteile:

- > Diplom-Ingenieure, Elektronik- und Elektrotechniker
- > Langjährige Praxiserfahrung und hohe Kompetenz
- > Bundesweit über 20 praxiserfahrene und herstellerzertifizierte Vertriebsingenieure im Außendienst bei Ihnen vor Ort

## Experten für:

- > Oszilloskope
- > Spektrum- / Netzwerkanalysatoren
- > Netzgeräte / Stromversorgungen
- > Thermografie / Temperatur
- > Prüfgeräte VDE / Netzanalyse
- > u. v. m.

